

**Board of Supervisor's Meeting
Pine Tree Water Control District**

**Wellington Village Hall
12300 Forest Hill Blvd.
Wellington, FL 33414**

**Monday, April 18, 2016
6:00 p.m.**

AGENDA

- I. Call to Order**
- II. Pledge of Allegiance**
- III. Consent Agenda**
 - a. Approval of Minutes** - Board of Supervisors Meeting, February 1, 2016
 - b. Financial Report**
 - i. Financial Report
 - ii. Warrant List
 - iii. Approval of Supervisor Invoices
 - c. Operations Report**
 - i. Aquatic Weed Control Memorandum
 - ii. Waterway Inspection Report by Clarke Environmental
- IV. Engineer's Report**
- V. Attorney's Report**
- VI. Other Business**
- VII. Board Comments**
- VIII. Next Meeting:**
Monday, June 13, 2016 at 6:00 p.m. (Annual Landowners Meeting/TRIM)
- IX. Adjourn**

MINUTES

MINUTES

Pine Tree Water Control District Board of Supervisor's Meeting

Wellington Village Hall
12300 Forest Hill Blvd.
Wellington, FL 33414

Monday, February 1, 2016
6:00 p.m.

Pursuant to the foregoing notice, a meeting was held of the Pine Tree Water Control District Board of Supervisors on Monday, February 1, 2016 at Wellington Village Hall, 12300 Forest Hill Blvd., Wellington, FL 33414.

Board Supervisors Present: Maria Fong, Board President, Joel Arrieta, Board Supervisor and Travis Deering, Board Supervisor.

I. **Call to Order** – Ms. Fong called the meeting to order at 6:00 p.m.

II. **Pledge of Allegiance** – Ms. Fong led the Pledge of Allegiance.

III. **Updates**

a. Wellington Environmental Preserve Greenway Project

Ms. Quickel introduced the item.

Mr. Jonathan Reinsvold presented the staff report. He explained the project was on schedule and should be completed by the end of the week when sod and signage would be installed.

Houston Meigs, 16433 Deer Path Lane. Mr. Meigs asked if it would be possible to install an opening in the guardrail opposite Norris Road, Deer Path Lane, Hollow Tree Lane, Rustic Road and Norris Road areas in order to obtain access to the path instead of having to go all the way to the end for access. He indicated that the heavy equipment used to transport the pathway base material damaged several road surfaces, and he felt that the situation should be addressed before the project was completed.

Mr. Reinsvold explained the current project plans do not indicate any specifications for guardrail openings but staff could review that for a future project. He said he would survey the damaged areas with the contractor the following day.

Ruben Ferrazzano, 16625 Rustic Road. Mr. Ferrazzano discussed the location of the starting and ending points of the path was and potential retention concerns along the north side near Southern Boulevard.

Mr. Reinsvold explained the starting point was at Section 24 and the intention was to connect the pathway to Section 24 into the C-23 canal and loop back. He explained the pathways were graded from the circle southward and designed per the plan.

Ms. Fong asked for an additional signal similar to the signal located at the north and south ends when crossing Flying Cow Road. Mr. Reinsvold said that an additional signal was not part of the plan. Ms. Fong felt that was a very dangerous area because the northbound traffic does not have visibility. Mr. Reinsvold explained the plan was approved as per the Florida Department of Transportation (FDOT) and the Manual on Uniform Traffic Control Devices (MUTCD) standards, and the crossing criteria has been met and reviewed by the FDOT and internal Village Engineering staff.

Mr. Ferrazzano asked if signage indicating that there was a bicycle path would be installed. Mr. Reinsvold replied affirmatively and explained the appropriate signage and markings would be installed advising drivers that they were approaching a crossing along with the possibility of small rumble strips.

b. Potential Development of McCarthy Property

Ms. Quickel introduced the item.

Mr. Basehart presented the staff report. He explained that staff has not received any official submittals of any kind for the property but they would notify the Board and the residents if any submittals are received in the future.

IV. Consent Agenda

a. Approval of Minutes – Board of Supervisors Meeting, July 13, 2015

b. Financial Report

- i. Financial Report
- ii. Warrant List
- iii. Approval of Supervisor Invoices

c. Operations Report

d. NAV Agreement with Local Government & Resolution

Ms. Quickel presented the Consent Agenda recommending approval as presented.

A motion was made by Mr. Arrieta, seconded by Mr. Deering and unanimously passed (3-0) approving the Consent Agenda as presented.

V. Engineer's Report

a. Request: Approval of Conceptual Permit for Crossing Bridge – Doug Murray

Ms. Quickel introduced the item.

Mr. Higgins presented the staff report. He explained the request was from Doug Murray to install a bridge from his property to cross over the Pine Tree canal and ultimately connect into the north side of the Section 24 pathway trail.

Doug Murray, 16450 Norris Road. Mr. Murray explained his request. He stated that in order to build access from one point of his property to the other part of the property he was asking the Board to move forward with the project. Mr. Higgins explained the approval that Mr. Murray was seeking was conceptual since drawings and discussion from the Board was needed to determine whether he could move forward with the project.

Ms. Quickel explained this was the first step towards the Board's conceptual approval. If the Board approved Mr. Murray's request, he would then need to obtain engineered drawings for review by the District Engineer.

Mr. Kurtz asked Mr. Murray why he wanted to build the bridge. Mr. Murray explained he wanted access to be able to take his horses from point A to point B instead of having to go up and down the street in order to gain access to his property.

Chris Wallace, 16330 Hollow Tree Lane. Ms. Wallace asked Mr. Murray if the Board allows him to build the bridge, would he permit other people to use the bridge. Mr. Murray said absolutely not and he would have a gate installed. Ms. Wallace recapped that the bridge would be closed to others and that was one of the issues it was discussed when the Board denied his previous request. Mr. Murray said that he would keep the bridge private. Mr. Kurtz stated that Ms. Wallace indicated the area was a riding easement but it was not a riding easement.

Ms. Wallace pointed out that Wellington has been using Mr. Murray's area, and she suggested petitioning Wellington's Council before moving forward with drawings and spending money because they may take care of the matter for him. Mr. Murray explained that the procedure was that Pine Tree would first have to provide him with the approval to move forward and then he would have to go to the Village of Wellington. Ms. Wallace explained that she was indicating that the Village of Wellington would pay for the entire project. Mr. Murray said that he was going to maintain the bridge and his intention was to pay for the bridge himself and in doing so he felt that all the property values in the neighborhood would increase.

Mr. Higgins asked Mr. Fleury if the southern area near Mr. Murray's property was mowed. Mr. Fleury said that he did not think that the area outside the fence was mowed but would have to check further to provide him with an answer.

Mr. Deering asked Mr. Murray if the bridge was installed would the gate run eastward to westward. Mr. Murray said that the gate would run north to south and there was not a fence along the Village property on Section 24 on the north side.

Ms. Fong asked Mr. Murray if any of his neighbors have decided to have their own bridges installed. Mr. Murray explained that all his neighbors on the same side that did not sell their easements should be able to install their own bridge. Ms. Fong questioned whether the District wanted to have up to ten bridges along the canal.

Mr. Arrieta said as long as the bridges do not interfere with the operation and maintenance of the water system and adheres to staff's recommendations, the bridges should be allowed.

Mr. Deering said that he agreed with Mr. Arrieta's statement. He said he would agree to allow the installation of the bridges as long as they do not impede the water flow, the engineered drawings, the gates were uniform, the bridges were secured and there is proper signage.

Mr. Kurtz said that the conceptual approval would include Mr. Murray installing the bridge in the area indicated on the drawing and the bridge would be limited to be five feet wide and

approximately seventy-five feet long. Ms. Quickel reiterated that Mr. Murray would have to submit engineered drawings and a survey to the Board beforehand.

A motion was made by Mr. Deering, seconded by Mr. Arrieta and unanimously passed (3-0) approving the Approval of Conceptual Permit for Crossing Bridge as presented.

Mr. Higgins provided the staff report regarding the Ditch Capacity Analysis for the North South Canal and provided staff with a memorandum dated January 29, 2016. He indicated that the findings show that most of the canal findings were acceptable and the canal has the capacity to convey adequate flows with the exception of the southern region. He said that the lack of water flow in this area could be due to sediment in the isolated area and the area was not as large as the rest of the canal. His recommendation was to accept the information and monitor the indicated area of the canal for problems in the future.

Board consensus was to accept the Report, Memorandum and Recommendations from Mr. Higgins (Higgins Engineering, Inc.) dated January 29, 2016 into the files as presented.

VI. Attorney's Report

Mr. Kurtz did not have anything to report.

VII. Other Business

Leland Wright, Rustic Ranches. Mr. Wright presented photos of the unsatisfactory aquatic conditions. Mr. Fleury said he would research the situation.

Mr. Arrieta said one of the photos was showing turf mat exposure and some maintenance issues. Mr. Fleury said he would survey the area himself. He stated that it was very difficult to control the vegetation and the aquatic weed in the canals and in the past he has made the Board aware of the situation. If funding was not used to dig, maintain and upkeep the canals, the aquatic control program cost would usually increase.

Mr. Arrieta said that it seemed that Mr. Wright was trying to bring the double exposure to the Board's attention: 1) slope mowing and paying a price per acre; and 2) doubling the maintenance cost in the area. He recommended separating the services which in turn would save the District some money.

Mr. Deering said he recalled when the contractor used the boat to spray the canals. Mr. Fleury said the contractor does provide the boat service only if they can obtain access to the canal. Mr. Wright said that a make-shift ramp would have to be built in several places to gain access to the area. In the past certain areas were open for boat access, but currently there were closed. Because of that issue, the canals could not be sprayed properly. Mr. Fleury said he would survey the locations and speak to the contractor regarding the issue and report back to the Board.

Mr. Wright indicated he was not in favor of the Spoilage Policy that was approved at the last meeting. He asked if spoilage was able to be stockpiled on the easement or the property owner's land. Mr. Kurtz said his recollection was once the District has the ability to transfer the excess spoilage to the landowner, the landowner needed to have a plan in place and not stockpile the spoilage indefinitely. Mr. Wright stated if a property owner has an agricultural

exemption, they don't have to use the dirt all at once because they use the dirt on a constant basis and the policy was interfering with the farming practices. Mr. Kurtz explained the policy was for the District to transfer the excess spoilage to the landowner and the landowner needed to provide a plan to the Board indicating how the spoils would be used. If he was indicating that he wanted to store the spoils and use on a periodic basis, the District could review the request and place a limitation so that the stockpiling of the spoilage does not become a nuisance. Mr. Wright said he was currently submitting the information to the District for the Board to discuss but he felt that the policy was illegal. Mr. Kurtz said that in his opinion, he did not think that the District would have a problem with his request but in order for the Board to discuss the request and make a decision, the item must be on the agenda.

Mr. Ferrazzano said that he wanted to have the Board address the Spoilage and Vegetation and Plantings policies at the next meeting for discussion. Mr. Kurtz explained the procedure in order to add an item to the agenda.

Mr. Ferrazzano questioned the District's liability on the easements that were located behind his property. Mr. Kurtz said that no one could answer that question because it depends on the specific circumstances.

Mr. Ferrazzano asked if the District was maintaining the horse riding trails on the northern side of the canal located within the northern section of the District. Mr. Fleury said the District pays the contractor only to mow the area.

Ms. Wallace said that Pine Tree does not own any easements, and if the liability falls on the rider, then signage notifying them of that is needed. Mr. Kurtz explained every rider should know that and everyone that rides a horse takes a risk.

Mr. Ferrazzano asked if he was able to post his own signage. Mr. Kurtz replied affirmatively.

VIII. Board Comments

Ms. Quickel introduced the item.

There were no comments from the Board.

IX. Next Meeting

Monday, April 18, 2016 at 6:00 p.m.

Ms. Quickel stated the next meeting would be held on Monday, April 18, 2016 at 6:00 p.m.

X. Adjourn

There being no further business to come before the Board, the meeting adjourned at 7:07 p.m.

Approved:

Maria Fong, President

Awilda Rodriguez, Secretary

FINANCIAL REPORT

PINE TREE WATER CONTROL DISTRICT

STATEMENT OF NET POSITION AND GOVERNMENTAL FUND BALANCE SHEET MARCH 31, 2016

	Special Revenue Fund
<u>ASSETS</u>	
Cash	\$ 263,019
Due from other governments	
Total assets	<u>\$ 263,019</u>
 <u>LIABILITIES AND FUND BALANCE</u>	
Liabilities:	
Accounts payable	\$ 16,288
Due to other governments	<u>18,187</u>
Total liabilities	34,474
 Fund balance:	
Reserved for emergency	30,000
Unreserved	<u>198,545</u>
Total fund balance	<u>228,545</u>
 Total liabilities and fund balance	<u>\$ 263,019</u>

PINE TREE WATER CONTROL DISTRICT

STATEMENT OF ACTIVITIES AND GOVERNMENTAL FUND REVENUES, EXPENDITURES AND

PERIOD ENDING MARCH 31, 2016

	Special Revenue Fund
Revenues:	
Non-ad valorem assessments ⁽¹⁾	\$ 93,051
Investment income	155
Miscellaneous	-
Total revenues	<u>93,206</u>
Expenditures:	
Current:	
Canal weed control	6,349
Drainage	3,912
Swale Mowing	12,408
Administration	8,109
Total expenditures	<u>30,778</u>
Excess of revenues over expenditures	<u>62,428</u>
Fund balance/Net position, beginning of year	<u>166,117</u>
Fund balance/Net position, end of year	<u>\$ 228,545</u>

⁽¹⁾Assessment of 2,805.45 units at \$17.50; 223.03 units at \$25.00; and 638.92 units at \$85.00

PINE TREE WATER CONTROL DISTRICT

STATEMENT OF ACTIVITIES AND GOVERNMENTAL FUND REVENUES, EXPENDITURES AND CHANGES IN FUND BALANCE - BUDGET TO ACTUAL PERIOD ENDING MARCH 31, 2016

	Original/ Final Budget	Actual	Variance Favorable (Unfavorable)
Revenues:			
Non-ad valorem assessments	\$ 103,590	\$ 93,051	\$ (10,539)
Investment income	-	155	155
Miscellaneous	-	-	-
Total revenues	<u>103,590</u>	<u>93,206</u>	<u>(10,384)</u>
Expenditures:			
Current:			
Canal weed control	15,500	6,349	9,151
Drainage	26,000	3,912	22,088
Swale Mowing	51,000	12,408	38,592
Administration	<u>27,300</u>	<u>8,109</u>	<u>19,191</u>
Total physical environment expenditures	<u>119,800</u>	<u>30,778</u>	<u>89,022</u>
Excess (deficiency) of revenues over expenditures	<u>(16,210)</u>	<u>62,428</u>	<u>78,638</u>
Fund balance, beginning of year	<u>166,117</u>	<u>166,117</u>	<u>-</u>
Fund balance, end of period	<u>\$ 149,907</u>	<u>\$ 228,545</u>	<u>\$ 78,638</u>

**PINE TREE WATER CONTROL DISTRICT
EXPENDITURE SUMMARY - FY 2015
JANUARY THROUGH MARCH**

Vendor Name	Check Number	Amount
Pace Analytical	452374	40.00
Pace Analytical	452497	74.00
Pace Analytical	2722	74.00
Higgins Engineering	452904	1,500.00
Higgins Engineering	452986	2,076.05
Wellington Pro Lawn	2653	1,800.00
Wellington Pro Lawn	2757	1,400.00
		6,964.05

PURCHASING CARD TRANSACTIONS

Vendor Name		Amount
Clarke Aquatics	Dec	1,274.20
Clarke Aquatics	Jan	1,287.50
Clarke Aquatics	Feb	1,287.50
		3,849.20

OTHER CHARGES

Vendor Name		Amount
Bank of America	Jan and Feb	81.92
Administrative Fee	Q2	3,875.00
		3,956.92

GRAND TOTAL

\$ 14,770.17

Board Member Maria Fong

Invoice to: Pine Tree Water Control District

Invoice for: Pine Tree WCD Meetings Attended

Meeting Date	Amount Due
4/18/2016	\$50.00
Total Due	\$ 50.00

Board Member Travis Deering

Invoice to: Pine Tree Water Control District

Invoice for: Pine Tree WCD Meetings Attended

Meeting Date	Amount Due
4/18/2016	\$50.00
Total Due	\$ 50.00

OPERATIONAL UPDATES

MEMORANDUM

DATE: APRIL 5, 2016
TO: PINE TREE BOARD OF SUPERVISORS
FROM: MITCHELL W. FLEURY, PUBLIC WORKS DIRECTOR
CC: TANYA QUICKEL, DISTRICT MANAGER
RE: OPERATIONS REPORT

Roads

Roads continue to be graded and maintained on a regular schedule as follows:

Dragged: January 19th and 25th, February 1st, 8th, 15th, 22nd, and 29th, March 7th, 14th, 21st and 28th.

Graded: All Roads: February 18th, and March 10th, 17th and 24th.

All roads checked on January 14th and 29th and February 4th, 11th and 25th and grading not needed, except where noted above and grading was completed.

Base material (shellrock) is scheduled to be installed by March 7, 2016 on Rustic Road (approx. 200 tons) and on Hollow Tree (approx. 120 tons) to address low areas and reestablish crown.

Canals

Aquatic Weed Treatment report for Rustic Ranches is as follows:

1/05/2016 – Inspected C-F (5), C-H (5), C-K (N), C-I(S), C-T (N), and C-T(S)

1/12/2016 – Inspected C-F (5), C-H (5), C-K (N), C-I(S), C-T (N), and C-T(S)

1/19/2016 – Inspected C-F (5), C-T (N) and C-T(S) and Treatment C-H (5), C-K (N) and C-I(S)

1/26/2016 – Inspected C-F (5), C-H (5), C-T (N) and C-T(S) and Treatment C-K (N) and C-I(S)

2/03/2016 – Inspected C-F (5), C-H (5), C-K (N), C-I(S), C-T (N) and C-T(S)

2/09/2016 – Inspected C-F (5), C-H (5), C-K (N), C-I(S), C-T (N) and C-T(S)

2/10/2016 – Inspected C-F (5), C-H (5), C-I(S), C-T (N) and C-T(S) and Treatment C-K (N)

2/12/2016 – Inspected C-F (5), C-H (5), C-T (N) and C-T(S) and Treatment C-K (N) and CI(S)

2/16/2016 – Inspected C-H (5), C-K (N), C-T (N) and C-T(S) and Treatment C-F (5) and CI(S)

2/23/2016 – Inspected C-F (5), C-H (5), C-I(S), C-T (N) and C-T(S) and Treatment C-K (N)

3/09/2016 – Inspected C-F (5), C-H (5), C-K (N), C-I(S), C-T (N) and C-T(S)

3/14/2016 – Inspected C-F (5), C-H (5), C-K (N), C-I(S), C-T (N) and C-T(S)

3/21/2016 – Inspected C-H (5), C-K (N), C-T (N) and C-T(S) and Treatment C-F (5) and C-I(S)

3/24/2016 – Inspected C-F (5), C-K (N), C-I(S), C-T (N) and C-T(S) and Treatment CH (5)

Rain fall data for January, February and March 2016 is attached for review and information.

Landscape Maintenance

- Canal Tops were cut on March 1st and finished on the 2nd.
- Canal Slopes were cut on February 2nd and finished on the 3rd.
- Swales were cut on January 4th.

Please note that mowing schedules may be adjusted due to weather conditions.

Solid Waste

- All routes are on schedule
- Route monitoring continues and is completed on a weekly basis each Wednesday

Mosquito Control

Larvicide treatments were applied in swale areas and spraying (truck fogging) was completed on January 5th and 19th, February 11th and 23rd and March 16th.

Rainfall Data JANUARY 2016


Date	JANUARY	Pump Station #7 Flying Cow Rd & Southern Blvd	Structure 40 Flying Cow Rd.
1		0	0
2		0	0
3		0.39	0.02
4		0.02	0
5		0	0
6		0.3	0
7		0	0
8		0.08	0
9		0.92	0
10		0.15	0
11		0	0
12		0.08	0
13		0	0
14		0.29	0
15		0.93	0
16		0.01	0
17		0.5	0
18		0	0
19		0	0
20		0	0
21		0	0
22		1.55	0
23		0	0
24		0	0
25		0	0
26		0	0
27		3.55	0
28		0	0
29		0	0
30		0	0
31		0	0
Totals		8.77	0.02

Rainfall Data FEBRUARY 2016

Date	Pump Station #7 Flying Cow Rd & Southern Blvd	Structure 40 Flying Cow Rd.
FEBRUARY 2016		
1	0.01	0.00
2	0.00	0.00
3	0.00	0.00
4	0.01	0.00
5	0.41	0.00
6	0.60	0.03
7	0.03	0.00
8	0.00	0.00
9	0.01	0.00
10	0.00	0.00
11	0.00	0.00
12	0.00	0.00
13	0.00	0.00
14	0.00	0.00
15	0.17	0.00
16	0.77	0.00
17	0.00	0.00
18	0.00	0.00
19	0.00	0.00
20	0.00	0.00
21	0.00	0.00
22	0.00	0.00
23	0.34	0.00
24	0.20	0.00
25	0.00	0.00
26	0.00	0.00
27	0.00	0.00
28	0.00	0.00
29	0.00	0.00
30	0.00	0.00
31	0.00	0.00
Totals	2.55	0.03

Rainfall Data MARCH 2016

Date	Pump Station #7 Flying Cow Rd & Southern Blvd	Structure 40 Flying Cow Rd.
MARCH 2016		
1	0	0
2	0	0
3	0	0
4	0	0
5	0	0
6	0	0
7	0	0
8	0	0
9	0	0
10	0	0
11	0	0
12	0	0
13	0.03	0.22
14	0	0
15	0	0
16	0	0
17	0	0
18	0	0
19	0.1	0.02
20	0.08	0.04
21	0.06	0.05
22	0	0
23	0	0
24	0.05	0
25	0.11	0
26	0	0
27	0	0
28	0	0
29	0.16	0.44
30	0.1	1.19
31	0.24	0
Totals	0.93	1.96



MEMORANDUM

To: Tanya Quickel, PTWCD District Manager

From: Mitchell W. Fleury, Public Works Director

Date: March 10, 2016

Re: Aquatic Weed Control – Pine Tree Water Control District

Staff contacted Clarke regarding the discerning comments made at the Pine Tree meeting, February 1, 2016. Clarke immediately responded and did a field inspection on Wednesday, February 3, 2016.

Attached is their report along with comments noting corrective actions to be taken. At this time I feel confident that Clarke will address aquatic weed concerns and staff will be following up with them periodically to ensure compliance.



Waterway Inspection Report

Prepared for:

Village of Wellington- Rustic Ranches

Inspection date: February 3, 2016

Prepared by: Darrel Bagiotti & Angelo Fanelli

Site 03-302

Comments: Looks good, we have control of the Crested Floating Heart and floating tape grass.

Action required: Torpedo grass treatments during the Spring time.

Target: Floating Tape grass and Torpedo grass.



Site 03-303

Comments: Continue to treat for Crested Floating Heart and shoreline work.

Action required: Treat for Crested Floating Heart with boat and by gator to get best results.

Target: Crested Floating Heart and shoreline grasses.




Site: 03-305

Comments: Very low water level in ditch with Salvinia and Duckweed present.

Action required: Treat the Salvinia and Duckweed to keep under control

Target: Salvinia and Duckweed




Site 03- 301

Comments: North side of this canal looks good with trace amounts of Torpedo grass and Spatterdock. West end of the canal needs immediate treatment for Cattails, Torpedo grass, and Crested Floating Heart.

Action required: Treat on 2/9 for Cattails, Torpedo grass, and Crested Floating Heart on the west end of the canal. Return in two weeks to remove large dead material.

Target: Cattails, Torpedo grass, and Crested Floating Heart.




Site 03-306

Comments: Low water level in the ditch with trace amounts of Salvinia.

Action required: Monitor the Salvinia so it doesn't get into other canals.

Target: Salvinia




Site 03-304

Comments: Looks good on the south end of the canal. The north end needs immediate treatment for Crested Floating Heart, Cattails, and Shoreline grasses.

Action required: Treat on 2/9 for Crested Floating Heart, Cattails, and Shoreline grasses on the north end of the canal. Return in two weeks to remove large dead material.

Target: Crested Floating Heart, Cattail, and Shoreline grasses.





ACCOUNT NAME:
**VILLAGE OF WELLINGTON
 RUSTIC RANCHES**

ACCOUNT NUMBER:
088731

CAS
 August 6, 2014

SITES

	ACRES	SHORELINE FOOTAGE
03-301	*3.6	*10,337.4
03-302	*3.2	*8,822.8
03-303	*5.3	*10,372.4
03-304	*4.0	*10,388.0
03-305	*1.3	*5,097.7
03-306	*0.7	*5,134.8

WARNING: This document is the property of Clarke Environmental Mosquito Mgmt., Inc. Any unauthorized use of this property will be prosecuted as a theft of labor, services, or property. (Chapter 38, §16-1 and §14-3 of the IL REV. STATUTES)



Clarke Contacts

Angelo Fanelli
Operations Supervisor
(561) 248-4303
afanelli@clarke.com

Darrel Bagiotti
Field Supervisor
dbagiotti@clarke.com
561-234-8158

Robert Santana
Control Consultant Southeast Florida
rsantana@clarke.com
561- 420-9079

John Greene
Florida Sales Manager
(561)632-5712
jgreene@clarke.com